



Cope

PATENT
ATTORNEY DOCKET NO. 04712/043007

Certificate of Mailing: Date of Deposit: January 19, 2007

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, Attention: Certificate of Correction Branch.

Sarah Wilcox

Printed name of person mailing correspondence

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|-------------|---|-------------------|---------------|
| Applicant: | Lee et al. | Confirmation No.: | 1714 |
| Serial No.: | 09/993,739 | Art Unit: | 1616 |
| Filed: | November 23, 2001 | Examiner: | Levy, Neil S. |
| Patent No.: | 6,953,594 B2 | Customer No.: | 21559 |
| Issued: | October 11, 2005 | | |
| Title: | METHOD OF PREPARING A POORLY CRYSTALLINE CALCIUM PHOSPHATE AND METHODS OF ITS USE | | |

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Attention: Certificate of Correction Branch

Certificate
JAN 24 2007
of Correction


REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322

Applicant hereby requests that a Certificate of Correction be issued in the patent identified above. The error to be corrected is described in detail on the enclosed PTO Form 1050.

JAN 24 2007

No fee is believed to be due, as the error to be corrected was made by the PTO. If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,



TODD ARMSTRONG, Ph.D.
Reg. No. 54,590

Date: 19 January 2007

for

Paul T. Clark
Reg. No. 30,162

Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Telephone: 617-428-0200
Facsimile: 617-428-7045

JAN 24 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. 6953594 B2
DATED Oct. 11, 2005
INVENTORS Lee et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 36, replace "stiochiometric" with --stoichiometric--.

Column 38, Line 42, replace "cry stallization piomoting" with --crystallization promoting--.

Column 40, Line 23, replace "implait" with --implant--.

Column 41, Line 4, replace "th" with --the--.

Column 45, Line 12, replace "phosplate" with --phosphate--.

Column 51, Line 22, replace "ambulator," with --ambulatory--.

Column 57, Line 31, replace "mechancial" with --mechanical--.

MAILING ADDRESS OF SENDER:
Paul T. Clark, Partner
Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Customer No.: 21559

PATENT NO. 6953594 B2
NO. ADDITIONAL COPIES
@ 50¢ PER PAGE

SUBSTITUTE FORM PTO 1050

JAN 24 2007